



**Trojan**<sup>®</sup>  
BATTERY COMPANY

*Clean energy for life.*




**Trojan**  
BATTERY COMPANY  
**T-1275**  
DEEP CYCLE  
For specifications: 800-433-6262, (714) 262-2200 or  
www.trojanbattery.com

**12 VOLT**  
100 AH @ 20 HR  
120 AH @ 6 HR  
200 MIN @ 25 AMPS



**GOLF**



# PASSION

A PURSUIT FOR THE ULTIMATE GOLF EXPERIENCE

**GOLF** SOME SAY THE GAME OF GOLF IS MERELY A SPORT, A HOBBY OR A DAY OUT WITH FRIENDS. WE BELIEVE GOLF IS A PASSION, AN OBSESSION, A PURSUIT FOR THE ULTIMATE GOLF EXPERIENCE. AFTER ALL, A MULTI-BILLION DOLLAR INDUSTRY WAS BUILT ON THE ATTENTIVE ORCHESTRATION OF THE PERFECT GAME. FROM THE MOMENT THE GOLFER IS WELCOMED BY THE GOLF CLUB STAFF DOWN TO THE GOLF CAR THAT CADDIES THE GOLFER THROUGH THE MANICURED GREENS, EVERY DETAIL OF THE TOTAL GOLF EXPERIENCE IS METICULOUSLY CONSIDERED.

AT TROJAN WE BELIEVE IN THIS PASSION FOR THE GAME WHICH IS WHY WE ARE PASSIONATE ABOUT THE DEEP CYCLE GOLF BATTERIES WE BUILD. WE STAKE OUR REPUTATION AS THE WORLD LEADER IN DEEP CYCLE BATTERIES ON OUR EXPERIENCE AND EXPERTISE OF BUILDING PRODUCTS THAT OUTLAST AND OUTPERFORM THE COMPETITION.



## GOLF BATTERIES

If there is one thing we've learned from building batteries for over 85 years, it's that your golf battery must be able to deliver consistent performance day in and day out. That is why we build our Trojan deep cycle golf batteries to provide the rugged durability, outstanding performance and long life that you have come to expect. It's no surprise that more than 98% of America's top golf courses use Trojan batteries in their fleets.\*

Engineered specifically to handle the rigors of continuous discharge and recharge, Trojan offers a complete lineup of golf batteries to meet your specific needs. Ranging from our 6-volt, 8-volt and 12-volt deep cycle flooded to our maintenance free 6-volt deep cycle gel batteries, Trojan's products power the world's leading golf cars.

## PLUS SERIES™

Featuring the same performance characteristics of all Trojan's deep cycle batteries, the Plus Series™ offers enhanced convenience and durability features designed to make battery maintenance easier.

### SureVent™ Cap

Trojan's patent-pending SureVent™ caps make battery maintenance a snap. Available exclusively on Trojan Plus Series batteries, SureVent caps conveniently pop open for easier watering. Flip-top vent caps remain securely attached to the battery eliminating the task of searching for lost vent caps.

### Water Level Indicator

Trojan's Plus Series batteries feature built-in maximum water level indicators making watering your battery more accurate each and every time.

### Embedded Terminal

Embedded terminals provide reinforced durability minimizing stress applied to the terminals during routine battery maintenance.



SureVent™ flip-top vent caps



Built-in maximum water level indicator

Easier maintenance

Precise Watering:  
Better Performance



Embedded terminals

Increased durability

\* Based on listing of top golf courses in Golf Digest, Golf Magazine and the US Open list of venues 1995 - 2010

# DURABILITY. PERFORMANCE. LONGER LIFE.



OUR PRODUCT STRATEGY IS FOCUSED ON ONE SIMPLE OBJECTIVE - MANUFACTURE THE HIGHEST QUALITY BATTERY AVAILABLE IN THE INDUSTRY. WE ENGINEER OUR DEEP CYCLE GOLF BATTERIES TO PROVIDE THE RUGGED DURABILITY, OUTSTANDING PERFORMANCE AND LONG LIFE THAT YOU EXPECT. BENEATH THE RUGGED EXTERIOR OF TROJAN'S DEEP CYCLE GOLF BATTERIES LIE THE COMPONENTS THAT CREATE A TRULY OUTSTANDING BATTERY.



*Prototype development and evaluation*



*Product life testing*

## RESEARCH AND DEVELOPMENT


Quality and innovation are the cornerstones of our product development. As the leading manufacturer of deep cycle golf batteries, Trojan retains two state-of-the-art research and development centers dedicated exclusively to battery technology and innovation. Engineering teams, backed by over 200 years of deep cycle development expertise, work together to innovate and bring to market advanced battery technologies that exceed our customers' expectations for outstanding battery performance.

# PERFORMANCE IS AN INSIDE JOB.

## ALPHA PLUS® PASTE

Trojan's Alpha Plus® paste is a proprietary, high density paste formulation engineered for enhanced electrochemical processing and strengthened structural bond. This high density paste optimizes porosity development in the active material utilizing the active material more efficiently and resulting in sustained battery performance over a longer period of time.

Alpha Plus® paste features Dynel fibers which act as a structural foundation holding the active material in place longer. Trojan's 72-hour curing process fortifies the overall strength of the active material contributing to longer battery life.




## TROJAN GRID TECHNOLOGY

Trojan's grid technology is a lead antimony alloy grid mixture formulated specifically for use with Trojan's Alpha Plus® paste. The grid formulation provides exceptional structural adhesion between the Alpha Plus paste and the grid frame. Thick grids reinforce the strength of the frame and reduce overall corrosion. The overall grid configuration is optimized to enhance current flow through the grid network providing exceptional battery performance.

## MAXGUARD® SEPARATOR

Exclusively available in Trojan golf batteries is our Maxguard® advanced separator. Trojan's Maxguard's multi-rib geometry keeps acid channels open longer enhancing the electrochemical processing while reducing the risk of stratification. It's rubber-based material formulation inhibits antimony transfer between the positive grids and negative plates and thick glass mat backing retains positive active material and reduces shedding. Trojan's Maxguard advanced separator also extends battery life, sustains performance and lowers overall maintenance costs.



# HYDROLINK™ - BATTERY WATERING MADE EASY



## HYDROLINK\* – BATTERY WATERING MADE EASY

Proper maintenance and periodic watering are important factors in maximizing the performance and life of your Trojan deep cycle, flooded batteries. Battery maintenance can be a costly, time-consuming and messy job. With Trojan's HydroLink™ advanced, single-point watering system, precise battery watering is made simple saving you valuable time and money.

## CONVENIENT INSTALLATION OPTIONS

Trojan's HydroLink watering system is specifically designed to work with 6-volt, 8-volt and 12-volt Trojan golf car batteries\*. HydroLink™ is available pre-installed on Trojan golf car batteries, removing the guess work on proper installation for customers. With one simple snap of a single connection from the watering tube into each HydroLink™, the system is ready for use. Once installed, you can fill a complete set of batteries in less than 30 seconds.

## HYDROLINK™ VENT

The HydroLink™ vent assembly is a unique vent which features an independent water level indicator, valve shut off and dual flame arrestors.

### *Independent Water Level Indicator*

Maintaining the proper electrolyte level can extend the performance and life of your battery. However, determining the correct level can be a challenge. Trojan's HydroLink vent features an independent water level indicator that accurately displays whether your battery needs watering. A white indicator signals that the battery needs water. A black indicator signals that the battery has enough water...it's that simple.

### *Valve Shut Off*

The valve shut off accurately controls cell electrolyte levels. Using a balanced valve design the shut off valves automatically cut the water flow into the individual cells eliminating the potential of overflow or acid splash caused by overfilling. HydroLink's valve shut off works in conjunction with the hose end assembly and flow indicator to provide you with precise battery watering.

### *Dual Flame Arrestors*

The HydroLink system is equipped with dual flame arrestors, an important safety feature not standard on other watering systems. The internal flame arrestors prevent internal sparks from passing through the watering system to neighboring cells while the external flame arrestor prevents external sparks from entering your Trojan battery.



*Independent water level indicator*



*Water indicator signal*





*Snake™ tubing*



*Snake™ coupling connection  
Water flow indicator*

### **SNAKE™ TUBING**

The HydroLink™ system offers a patent-pending Snake™ tubing assembly. This one-piece unit eliminates the need for multi connections resulting in fewer parts and quicker watering. The Snake tubing is preassembled to fit the most popular electric golf car configurations.

### **WARRANTY**

HydroLink™ watering system is tested and guaranteed to work with Trojan golf batteries and comes with a four-year, limited warranty.\*\*



## **EXPERIENCE THE TROJAN DIFFERENCE — REPUTATION BUILT ON QUALITY, LEADERSHIP AND INNOVATION**

### *Leadership*

Founded in 1925 by co-founders George Godber and Carl Speer, Trojan Battery Company is the world's leading manufacturer of deep cycle batteries. From deep cycle flooded batteries to deep cycle gel and AGM batteries, Trojan has shaped the world of deep cycle battery technology with over 85 years of battery manufacturing experience. With the invention of the golf car battery for the Autoette vehicle in 1952, Trojan pioneered the development of deep cycle battery technology for the golf industry; successfully introducing mobilization to the game of golf. For Trojan, this began a legacy of leadership and innovation that prevails today in the global, deep cycle markets spanning applications for golf, renewable energy, floor machine, aerial platform and recreational vehicles. Today, Trojan batteries are available in over 50 countries through our global network of master distributors.

Headquartered in Santa Fe Springs, CA, Trojan's operations include ISO 9001:2008 certified manufacturing plants in California and Georgia, two advanced research and development centers dedicated exclusively to deep cycle battery technologies and international offices located in Europe, UAE and Asia. Trojan is a proud member of the Battery Council International (BCI) and a technical research partner with the Bulgarian Academy of Sciences.

To ensure the quality and superior performance of our batteries Trojan applies the most rigorous testing procedures in the industry to test for cycle life, capacity, charger algorithms and both physical and mechanical integrity. Trojan's state-of-the-art R&D facilities include charger characterization and analytical labs, battery prototype and evaluation labs and battery autopsy centers all dedicated to providing you with a superior battery that you can rely on.

### **ENVIRONMENTAL RESPONSIBILITY**

At Trojan Battery, when we say, "Clean energy for life," we mean every word. As proactive supporters of environmental sustainability, our environmental stewardship focuses on clean energy initiatives and recycling programs.

- Trojan batteries are 97% recyclable. The container plastic, battery lead and electrolyte from old deep cycle batteries can be recycled to produce new deep cycle batteries.
- Through its partnership with Southern California Edison (SCE) Trojan saves over 8 million kilowatt hours and cuts CO2 emissions by over 12 million pounds significantly reducing our annual energy consumption and carbon foot print.



\* HydroLink is not compatible with Trojan Plus Series & 6 volt Gel batteries.  
\*\* To view Trojan's HydroLink Financial Sense & Limited Warranty visit: [www.trojanbattery.com/HydroLink](http://www.trojanbattery.com/HydroLink)


*Clean energy for life™*

# GOLF BATTERIES

## PRODUCT SPECIFICATION GUIDE

| BCI GROUP SIZE                         | TYPE        | CAPACITY <sup>A</sup><br>Minutes |          |          | CAPACITY <sup>B</sup><br>Amp-Hours (AH) |            | TERMINAL TYPE<br>(See Below) | DIMENSIONS <sup>C</sup><br>Inches (mm) |             |                | WEIGHT<br>lbs. (kg) |
|--|-------------|----------------------------------|----------|----------|---|------------|------------------------------|--|-------------|----------------|---------------------|
|  |             | @25 Amps                         | @56 Amps | @75 Amps | 5-Hr Rate                               | 20-Hr Rate |                              | L                                      | W           | H <sup>D</sup> |                     |
| <b>6 VOLT DEEP CYCLE BATTERIES</b>     |             |                                  |          |          |   |            |                              |  |             |                |                     |
| GC2                                    | T-605       | 383                              | -        | 105      | 175                                     | 210        | 1, 4, 5                      | 10 3/8 (264)                           | 7 1/8 (181) | 10 7/8 (276)   | 58 (26)             |
| GC2                                    | T-105       | 447                              | -        | 115      | 185                                     | 225        | 1, 4, 5                      | 10 3/8 (264)                           | 7 1/8 (181) | 10 7/8 (276)   | 62 (28)             |
| GC2                                    | T-105 Plus  | 447                              | -        | 115      | 185                                     | 225        | 1, 2, 4                      | 10 3/8 (264)                           | 7 1/8 (181) | 10 11/16 (272) | 62 (28)             |
| GC2                                    | T-125       | 488                              | -        | 132      | 195                                     | 240        | 1, 4, 5                      | 10 3/8 (264)                           | 7 1/8 (181) | 10 7/8 (276)   | 66 (30)             |
| GC2                                    | T-125 Plus  | 488                              | -        | 132      | 195                                     | 240        | 1, 2, 4                      | 10 3/8 (264)                           | 7 1/8 (181) | 10 11/16 (272) | 66 (30)             |
| GC2H                                   | T-145       | 530                              | -        | 145      | 215                                     | 260        | 1, 4, 5                      | 10 3/8 (264)                           | 7 1/8 (181) | 11 5/8 (295)   | 72 (33)             |
| GC2H                                   | T-145 Plus  | 530                              | -        | 145      | 215                                     | 260        | 1, 2, 4                      | 10 3/8 (264)                           | 7 1/8 (181) | 11 1/2 (292)   | 72 (33)             |
| <b>8 VOLT DEEP CYCLE BATTERIES</b>     |             |                                  |          |          |   |            |                              |  |             |                |                     |
| GC8                                    | T-860       | -                                | 90       | -        | 125                                     | 150        | 1                            | 10 3/8 (264)                           | 7 1/8 (181) | 10 7/8 (276)   | 58 (26)             |
| GC8                                    | T-875       | 295                              | 117      | -        | 145                                     | 170        | 1, 4                         | 10 3/8 (264)                           | 7 1/8 (181) | 10 7/8 (276)   | 63 (29)             |
| GC8                                    | T-890       | 340                              | 132      | -        | 155                                     | 190        | 1, 4                         | 10 3/8 (264)                           | 7 1/8 (181) | 10 7/8 (276)   | 69 (31)             |
| <b>12 VOLT DEEP CYCLE BATTERIES</b>    |             |                                  |          |          |   |            |                              |  |             |                |                     |
| N/A                                    | T-1260 Plus | 260                              | 90       | 60       | 113                                     | 140        | 1, 2, 4                      | 12 7/8 (327)                           | 7 1/8 (181) | 10 11/16 (272) | 78 (35)             |
| N/A                                    | T-1275      | 280                              | 102      | -        | 120                                     | 150        | 1                            | 12 7/8 (327)                           | 7 1/8 (181) | 10 7/8 (276)   | 82 (37)             |
| N/A                                    | T-1275 Plus | 280                              | 102      | -        | 120                                     | 150        | 1, 2, 4                      | 12 7/8 (327)                           | 7 1/8 (181) | 10 11/16 (272) | 82 (37)             |
| <b>6 VOLT DEEP-CYCLE GEL BATTERIES</b> |             |                                  |          |          |   |            |                              |  |             |                |                     |
| GC2                                    | 6V-GEL      | 394                              | -        | -        | 154                                     | 189        | 5                            | 10 1/4 (260)                           | 7 1/8 (181) | 10 7/8 (276)   | 68 (31)             |

- A. The number of minutes a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance.
- B. The amount of amp-hours (AH) a battery can deliver when discharged at a constant rate at 80°F (27°C) for the 20-Hour rate and 86°F (30°C) for the 5-Hour rate and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance.
- C. Dimensions are based on maximum size. Dimensions may vary depending on type of handle or terminal.
- D. Dimensions taken from bottom of the battery to the highest point on the battery. Heights may vary depending on type of terminal.



Trojan batteries are available worldwide through Trojan's Master Distributor Network. We offer outstanding technical support, provided by full-time application engineers.

**For a Trojan Master Distributor near you,  
call 800.423.6569 or + 1.562.236.3000 or visit [www.trojanbattery.com](http://www.trojanbattery.com)**

© 2010 Trojan Battery Company. All rights reserved. Trojan Battery Company is not liable for damages that may result from any information provided in or omitted from this publication, under any circumstances. Trojan Battery Company reserves the right to make adjustments to this publication at any time, without notices or obligation.